



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/805,220	03/22/2004	Kazunari Yamaguchi	Q80490	9623
23373	7590	07/09/2007		
SUGHRUE MION, PLLC 2100 PENNSYLVANIA AVENUE, N.W. SUITE 800 WASHINGTON, DC 20037			EXAMINER CHEN, STACY BROWN	
			ART UNIT 1648	PAPER NUMBER
			MAIL DATE 07/09/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/805,220

Applicant(s)

YAMAGUCHI ET AL.

Examiner

Stacy B. Chen

Art Unit

1648

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 April 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 17,20-22 and 24-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 17,20-22 and 24-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 22 March 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____.

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on April 27, 2007 has been entered. Claims 17, 20-22 and new claims 24-26 are pending and under examination.

2. The rejection of claims 17-19 and 23 under 35 U.S.C. 102(b) as being anticipated by Hatalski *et al.* (*Journal of Virology*, February 1995, 69(2):741-747, "Hatalski") is moot with respect to cancelled claims 18, 19 and 23, and withdrawn with respect to claim 17 in view of Applicant's amendment. The claims now require a support with both BDV p10 and p24. Hatalski does not disclose the detection of p10 and p24. Therefore, the rejection is withdrawn.

Claims Summary and Interpretation

3. The claims are drawn to a method for detecting IgM and IgG antibody to Borna Disease Virus (BDV). The method comprises:

- (a) providing a support sensitized with a p10 BDV antigen polypeptide, and a p24 or p40 BDV antigen polypeptide;
- (b) reacting the p10, and p24 or p40 antigen polypeptides with an anti-BDV antibody from a sample;

Art Unit: 1648

(c) detecting both IgM and IgG antibody.

It is understood that step (c) encompasses the ability to assay for the presence of IgM and IgG. Depending on the stage of infection, one may detect only IgM if no IgG is present, or vice versa; or one may detect both at the same time if the class switching is not yet complete. Step (c) does not mean that one will necessarily detect both IgM and IgG just by doing the assay; it depends on the stage of infection. The instant assay has the ability to detect both IgM and IgG, if both are present.

The BDV antigen polypeptide is selected from the group consisting of the p10 region, the p24 region, and the p40 region of BDV. Specifically, the polypeptide from the p24 region is SEQ ID NO: 1. The polypeptide from the p40 region is SEQ ID NO: 3. The polypeptide from the p10 region is SEQ ID NO: 8.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 17, 20-22 and 24-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi *et al.* (*Ann. Clin. Biochem.* 2001, 38:348-355, "Yamaguchi"), in view of Watanabe *et al.* (*J. Vet. Med. Sci.*, 2000, 62(7):775-778, "Watanabe"), as evidenced by Planz *et al.* (*Journal of Virology*, 1999, 73:6251-6256, "Planz") and further in view of Hatalski *et al.*

Art Unit: 1648

(*Journal of Virology*, February 1995, 69(2):741-747, "Hatalski"), and Carbone, K.M. (*Clin.*

Micro. Rev., 2001, 14(3):513-527, "Carbone"). All claims are summarized above.

Yamaguchi discloses a synthetic peptide-based electrochemiluminescence immunoassay (ECLIA) for anti-BDV p40 and p24 IgG antibodies in rat and horse serum. Yamaguchi teaches the synthesis of 13 peptides having hydrophilic BDV p40 and p24 sequences that were fixed into microbeads. Table 1 discloses a p40 peptide that is identical to Applicant's SEQ ID NO: 3 (PKRRLVDDADAMEDQDLY), and a p24 peptide that is identical to Applicant's SEQ ID NO: 1 (QPVDQLLKDLRKNPS). Rabbit anti-BDV p40 or p24 antiserum was detected by ECLIA immunoassay. ECLIA assay involves the use of an electrode and measurement of photons emitted from the secondary antibodies bound to the BDV antibody-antigen complexes (page 350, first column). The ECLIA method is an immune agglutination reaction method (antigen-antibody binding), and is a fine particle counting method (electrode-photon). Yamaguchi is silent on the use of the antigen polypeptide of p10 (SEQ ID NO: 8) and the aspect of testing for both IgM and IgG antibodies.

However, Watanabe discloses a study on the time course for appearance to antibodies to BDV antigens p40, p24, p18 and p10. Watanabe found that anti-p10 antibodies (IgG) were detected in sera of BDV-infected rats as early as anti-p40 and anti-p24 antibodies (abstract). Watanabe's findings are indicated as useful for establishing diagnostic methods for BDV infection and for understanding its pathogenesis and replication (page 777, second column, last paragraph). It would have been obvious to include the detection of p10 in Yamaguchi's method. One would have motivated to detect anti-p10 antibodies, as well as anti-p40 and anti-p24 antibodies for the purpose of increasing the sensitivity of Yamaguchi's method. Watanabe suggests that antibodies to individual viral proteins and BDV-specific antigens is useful for establishing diagnostic methods (page 777, second column, last paragraph). One would have had a reasonable expectation of success given that Watanabe found anti-p10, anti-p24 and anti-p40 antibodies in serum at the same time (abstract).

Neither Yamaguchi nor Watanabe disclose SEQ ID NO: 8. While Watanabe discloses the use of p10, the sequence of p10 is not disclosed in the Watanabe reference. However, the sequence of p10 includes SEQ ID NO: 8, as evidenced by Planz. The following is an alignment of SEQ ID NO: 8 with a sequence disclosed in Planz, found using UniProt 7.2 on October 13, 2006:

Art Unit: 1648

RESULT 2

Q9WNA1_BDV

ID Q9WNA1_BDV PRELIMINARY; PRT: 87 AA.

AC Q9WNA1;

DT 01-NOV-1999, integrated into UniProtKB/TrEMBL.

DT 01-NOV-1999, sequence version 1.

DT 07-FEB-2006, entry version 16.

DE P10 protein (X protein).

GN Name=p10;

OS Borna disease virus (BDV).

OC Viruses; ssRNA negative-strand viruses; Mononegavirales; Bornaviridae;

OC Bornavirus.

OX NCBI_TaxID=12455;

RN [1]

RP NUCLEOTIDE SEQUENCE.

RX MEDLINE=99329142; PubMed=10400715;

RA Planz O., Rentzsch C., Batra A., Winkler T., Buttner M., Rziha H.J.,

RA Stitz L.;

RT "Pathogenesis of borna disease virus: granulocyte fractions of

RT psychiatric patients harbor infectious virus in the absence of

RT antiviral antibodies.";

RL J. Virol. 73:6251-6256(1999).

RN [2]

RP NUCLEOTIDE SEQUENCE.

RC STRAIN=ratBDV;

RX MEDLINE=20086018; PubMed=10622306; DOI=10.1016/S0140-6736(99)04703-0;

RA Schwemmler M., Jehle C., Formella S., Staeheli P.;

RT "Sequence similarities between human Bornavirus isolates and

RT laboratory strains question their human origin.";

RL Lancet 354:1973-1974(1999).

RN [3]

RP NUCLEOTIDE SEQUENCE.

RC STRAIN=ratBDV;

RA Schwemmler M., Jehle C., Formella S., Staeheli P.;

RL Submitted (OCT-1999) to the EMBL/GenBank/DDBJ databases.

RN [4]

RP NUCLEOTIDE SEQUENCE.

RC STRAIN=H1505, H3452, H3950, H4026, and H446;

RX PubMed=15659758; DOI=10.1099/vir.0.80587-0;

RA Kolodziejek J., Duerrwald R., Herzog S., Ehrensperger F., Lussy H.,

RA Nowotny N.;

RT "Genetic clustering of Borna disease virus natural animal isolates,

RT laboratory and vaccine strains strongly reflects their regional

RT geographical origin.";

RL J. Gen. Virol. 86:385-398(2005).

CC

CC Copyrighted by the UniProt Consortium, see <http://www.uniprot.org/terms>

CC Distributed under the Creative Commons Attribution-NoDerivs License

CC

DR EMBL; AF158631; AAD45289.1; -; mRNA.

DR EMBL; AJ250178; CAB87239.1; -; Genomic_RNA.

DR EMBL; AY374521; AAR36919.1; -; Genomic_RNA.

DR EMBL; AY374525; AAR36931.1; -; Genomic_RNA.

DR EMBL; AY374531; AAR36949.1; -; Genomic_RNA.

DR EMBL; AY374532; AAR36952.1; -; Genomic_RNA.

DR EMBL; AY374534; AAR36958.1; -; Genomic_RNA.

DR InterPro; IPR009485; BDV_P10.

DR Pfam; PF06515; BDV_P10; 1.

SQ SEQUENCE 87 AA; 9444 MW; D5B94D228F8E6EFA CRC64;

Query Match 100.0%; Score 85; DB 2; Length 87;

Best Local Similarity 100.0%; Pred. No. 8.3e-06;

Matches 15; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 GVTKTTEDPKECTDP 15

|||||||

Db 43 GVTKTTEDPKECTDP 57

Art Unit: 1648

Hatalski discloses the detection of neutralizing antibodies to p40, p23 and gp18 in BDV-infected rats (abstract). Hatalski tested for the presence of both IgG and IgM antibodies to recombinant and native BDV proteins using electrochemiluminescence (page 741, second column, section entitled, "SDS-PAGE, Western blot and immunoprecipitation (IP)"). One would have been motivated to modify Yamaguchi's method by testing for the presence of IgM as well as IgG in order to detect infection as early as possible. Carbone discloses that the first serological evidence of virus infection is often IgM antibody. IgG appears as the immune response matures (page 516, first column, second full paragraph entitled, "Anti-BDV antibody detection"). Given that Hatalski demonstrates that IgM is present in response to BDV infection, and Carbone indicates that IgM is often the first serological evidence of BDV infection, one would have had a reasonable expectation of success that testing for the presence of IgM and IgG would have worked in Yamaguchi's method.

Applicant's arguments have been carefully considered but fail to persuade. Applicant's substantive arguments are primarily directed to the following:

Applicant argues that neither Yamaguchi nor Watanabe disclose a p10 BDV antigen polypeptide. Applicant notes that Watanabe discloses a BDV p10 protein, but does not disclose a p10 "antigen polypeptide". Applicant argues that Planz, Hatalski and Carbone do not provide the deficiencies of the other references.

In response to Applicant's argument, the Office considers Watanabe's p10 protein to be an antigen polypeptide. The specification does not particularly limit the definition of p10 antigen polypeptide to a meaning that excludes proteins. According to the specification on page 5, the following guidance is provided regarding "antigen polypeptide":

8) A reagent for detecting an anti-BDV antibody which has an antigen polypeptide selected from the p10 region of a Borna disease virus (BDV) protein;

9) The reagent for detecting an anti-BDV antibody wherein the antigen polypeptide according to the above item 8) comprises an antigen polypeptide has at least 8 amino acids;

Art Unit: 1648

Watanabe's p10 protein has at least 8 amino acids and is reasonably considered an antigen polypeptide. Watanabe's p10 protein is expected to be antigenic, and it is a polypeptide. Applicant is invited to explain the difference between Watanabe's p10 protein and a p10 antigen polypeptide, along with support in the specification for such a distinction.

Conclusion

5. No claim is allowed.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stacy B. Chen whose telephone number is 571-272-0896. The examiner can normally be reached on M-F (7:00-4:30). If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bruce Campell can be reached on 571-272-0974. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

/Stacy B. Chen/ 6-26-2007
Primary Examiner, TC1600